



Box Manure Spreader



A Skibo Company



Founded with spirit

Farming. There is no longer day, no harder work. It's a profession to be proud of. Pequea was founded in that spirit to benefit farmers everywhere.



Shaped by vision

We are committed to the future of farming. It is our vision to remain a leader in the industry, providing the best products we possibly can.



Built with pride


Building the best tedders is not just a job—it's our passion. We are proud of every piece of farm equipment that leaves our plant.

What Pequea offers you in every spreader



Get more value for your money

Simple and easy to operate and maintain



A poly floor and T-rod chain makes these spreaders durable and long lasting

2 speed gearbox with clean out



Strong and durable 1/4" beater paddles, fully welded 10 gauge box

125P

The 125P offers the following options:
Top Beater, Hydraulic End Gate, Fine Spread Pan



Pequea box spreaders are built to haul and spread variety of manure. Whether you have a small farm or large stables, the Pequea box spreaders can handle it. From semi-solid manure to pen pack, Pequea spreaders are built to handle it with the durability you need and at the value you expect.

Our box spreaders are fully welded unibody construction with tongue and groove poly floor, low loading height with flare, and a two-speed gearbox with cleanout. Stout beaters with replaceable paddles not only offer an even spread pattern but help extend the life of the machine. With a variety of options to suit your needs, the Pequea family



16' 6" Overall Length



Our large PTO model manure spreaders include 2 speed gearboxes with a neutral and cleanout setting.



Offers eight aggressive beaters that can be detached anytime for easy replacement. The beater has been engineered for maximum use with durable 1/4" steel beater.

175P

The 175P offers the following options:
Top Beater, Hydraulic End Gate, Fine Spread Pan




Pequea box spreaders are built to haul and spread a variety of manure. Whether you have a small farm or stables the Pequea box spreaders can handle it. From semi-solid manure to pen pack Pequea spreaders are built to handle it with durability you need and at the value you expect.

Our box spreaders are fully welded unibody construction with tongue and groove poly floor, low loading height with flare, and a two-speed gearbox with cleanout. Stout beaters with replaceable paddles not only offer an even spread pattern but help extend the life of the machine. With a variety of options to suit your needs the Pequea family of box spreaders are the right choice for your operation.



17' 8" Overall Length



The poly floor helps prevent freezing and never wears out.



The 175P model has 10 removable beater paddles

250P

The 250P offers the following options:

Top Beater, Hydraulic End Gate,
Fine Spread Pan, Tandem Axle



Pequea box spreaders are built to haul and spread a variety of manure. Whether you have a small farm or stables the Pequea box spreaders can handle it. From semi-solid manure to pen pack Pequea spreaders are built to handle it with durability you need and at the value you expect.

Our box spreaders are fully welded unibody construction with tongue and groove poly floor, low loading height with flare, and a two-speed gearbox with cleanout. Stout beaters with replaceable paddles not only offer an even spread pattern but help extend the life of the machine. With a variety of options to suit your needs the Pequea family of box spreaders are the right choice for your operation.



20' 5" Overall Length



The optional fine spread pan, available on all models, prevents finer or dry manure from falling out of the box in transit and in the field.



The tandem axle option provides better performance in harsh condition like rough terrain or wet fields.



General Specifications



Box Manure Spreaders

Pequea brings 40 years of experience to the development, design and production of our line of box manure spreaders. Pequea is committed to building high quality box manure spreaders at a fair price. We offer a variety of different sizes and options to suit your specific spreading needs.

Options

- Top Beater
- Hydraulic End Gate
- Fine Spread Pan
- Tandem Walking Beam (250P Only)
- 12.5L Tires w/ Tandem Walking Beam
- Front Rock Guard
- Urethane Lining

Specifications	125PTO	175PTO	250PTO
Capacity Heaped	125 Bu.	175 Bu.	250 Bu.
Capacity Struck CF	90 cu. ft.	108 cu. ft.	128 cu. ft.
Overall Length	16' 6"	17' 8"	20' 5"
Overall Width	80"	91"	98"
Top Beater Height	64"	67"	72"
Flared Width	56"	64"	70"
Box Construction	10 Gauge High Strength Steel		
Box Width	47"	54"	60"
Drive	PTO with 2 Speed Gearbox		
Beater Paddles (Bolt On)	8	10	
Beater Diameter	26"		
Floor Construction	High Density 3/4" Tongue & Groove Poly Vinyl		
Apron Chain	7/16" T-Rod		
Apron Chain Slat Spacing	7/7/7/6 Alternating Links	7/6/6/7 Alternating Links	7/6/7/6 Alternating Links
Jack	2000 lb Side Wind		
Weight	1,850 lb	2,220 lb	2,620 lb
Spindle	2-1/8"		
Minimum Horsepower Required	30 HP @ PTO	40 HP @ PTO	50 HP @ PTO
Floor Speed (Low)	3.2 ft/min	3.2 ft/min	3.2 ft/min
Floor Speed (High)	6.4 ft/min	6.4 ft/min	6.4 ft/min
Tire	16 x 8-8 Bolt 10-16 Imp.	20 x 7-8 Bolt 10-20 Off Rd. Tires	20 x 7-8 Bolt 10-12 Off Rd. Tires



TRADITION IN PROGRESS

PEQUEA, A Skibo Company
200 JayIn Drive • New Holland, PA 17557
(717) 354-4343 or toll-free (866) 684-0393
www.pequea.com